Review of Systems

Mak				
Abn I	NL O	N/A	OSA symptoms?	
			notes	
0	0	0	If has congenital heart disease, assess for signs of congestive heart failure	
			notes	•
0	0	0	Emotional status of parents and intrafamilial relationships?	
			notes	
0	0	0	Symptoms of celiac disease?	
			notes	•
0	0	0	add item	•
			notes	•
			Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures	
			Yes No N/A	•
			Yes No N/A Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures	
			Yes No N/A Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes	
			Yes No N/A Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy	•
			Piscuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functions.	etion,
			Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functioneck pain, head tilt, torticollis, or new-onset weakness	etion,
			Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functioneck pain, head tilt, torticollis, or new-onset weakness notes	etion,
			Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functioneck pain, head tilt, torticollis, or new-onset weakness notes Advise risk of some contact sports, trampolines	etion,
			Piscuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functioneck pain, head tilt, torticollis, or new-onset weakness notes Advise risk of some contact sports, trampolines notes Discuss physical and psychological changes through puberty, need for gynecologic care in the pubesor	etion,
			Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functioneck pain, head tilt, torticollis, or new-onset weakness notes Advise risk of some contact sports, trampolines notes Discuss physical and psychological changes through puberty, need for gynecologic care in the pubes female	cent
Make Yes I			Discuss cervical spine positioning, especially for anesthesia or surgical or radiologic procedures notes Review signs and symptoms of myopathy notes Contact physician for change in gait, change in use of arms or hands, change in bowel or bladder functioneck pain, head tilt, torticollis, or new-onset weakness notes Advise risk of some contact sports, trampolines notes Discuss physical and psychological changes through puberty, need for gynecologic care in the pubes female notes Facilitate transition: guardianship, financial planning, behavioral problems, school placement, vocation	etion,

pcc 01/03/2019 7:23AM Page 1 of 3

s Syndrom	e 13 yr to 21 yr Well Supplement	
	notes	
	notes	
000	add item	
	notes	
Plan		
Select All		
Hgb		
notes		
SH (an	nually)	
notes		
If myopa	othic signs or symptoms: obtain neutral position spine films and, if normal, obtain flexion and extens	ion fil
and refe	r to pedi neurosurgeon or orthopedic surgeon with expertise in evaluating and treating atlanto-axial in	nstabi
notes		
If norma	l ear-specific hearing established, behavioral audiogram	
notes	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever	ry 3 yr
notes Refer to	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever	ry 3 yr
Refer to 13-21 yr notes Check for	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever	ry 3 yr
Refer to 13-21 yr	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers)	ry 3 yr
Refer to 13-21 yr notes Check for	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever s) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA	ry 3 yr
Refer to 13-21 yr notes Check for notes	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever s) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT,	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever s) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever s) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever s) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; ever s) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes Lab Order	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST Hemoglobin (In Office)	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes Lab Order	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST Hemoglobin (In Office)	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes Lab Order Order Radiology Order	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST Hemoglobin (In Office) select a lab Cervical Spine Xray	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes Lab Order Order Radiology	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST Hemoglobin (In Office) [select a lab]	ry 3 yr
notes Refer to 13-21 yr notes Check for notes ECI - PT, notes add iter notes Lab Order Order Radiology Order	pedi ophtho or ophtho with experience with Down syndrome (annually 1-5 y; every 2 yrs 5-13 yrs; evers) or sx of celiac disease; if sx present, obtain tissue transglutaminase IgA and quantitative IgA OT, ST Hemoglobin (In Office) select a lab Cervical Spine Xray	ry 3 yr

pcc 01/03/2019 7:23AM Page 2 of 3

- 5. Radiology
- 6. Followup
- 7. Referral
- 8. Prescriptions
- 9. Visit Documents

pcc 01/03/2019 7:23AM Page 3 of 3