



Intake

Independent Historian/Relationship

▼

Primary Care Physician (Chart-wide) No Saved Notes

Edit

Chief Complaint

Vitals

Temperature °F +

Tympanic ▼

Pulse bpm +

Respiratory Rate bpm +

O₂ Saturation % +

Blood Pressure s / d +

Unspecified Location ▼

Sitting ▼

Height in +

Length in +

Weight lbs oz +

BMI

More

Vital Notes

▼

Medications

Current Medications

notes ▼

Vitamins, herbal remedies, homeopathic remedies?

notes ▼

Any allergies to medications? If so, which one?



notes

Pharmacy/Hospital of Choice

notes

Kid's First History

Allergies to Medications

notes

Any recurrent medical issues

notes

Any significant family medical problems

notes

Hospitalizations

notes

Missing or Delayed Immunizations

notes

Receiving any Medical Care from a Specialist

notes

Serious Behavioral or Mental Health Issues

notes

Surgeries

notes

History of Present Illness Main

Which ear?

notes

Pulling on ear, which one?

notes

Length of time of ear pain?

notes

Worse at night or day?

notes

Are symptoms mild, moderate or severe?



notes ▼

Are symptoms worsening, improving, staying the same?

notes ▼

Associated rhinorrhea and congestion?

notes ▼

Any medications used and response to medications?

notes ▼

Other associated signs and symptoms?

notes ▼

HPI

► **Medication History (Chart-wide)** No Saved Notes

Edit

Growth Charts

Growth Charts are not available when patient's sex is unknown.

Medical History (Chart-wide) No Saved Notes

Edit

Social History (Chart-wide) No Saved Notes

Edit

Family Medical History (Chart-wide)

Edit

Condition	Relationship	Note

Problem List (Chart-wide)

Display: All Statuses ▼

Edit

Status	Problem	Problem Note	Onset	Resolved

Allergies (Chart-wide)

Display: All Statuses ▼

Edit

Status	Allergy	Reaction	Onset	Resolved

PCC eRx Allergies (Chart-wide) Last Modified N/A

Display: All Statuses ▼

Status	Allergen	Reaction	Severity	Sensitivity Type	Onset	Resolved

Mark as Reviewed

fineprintLbl



Medication History (Chart-wide) Last Modified N/A

Display: All Statuses ▾

Status	Medication	Instructions	Start	Stop

Mark as Reviewed

fineprintLbl

ROS - Constitutional

Make All: Rpt Den N/A

Rpt Den N/A

- Fever/Chills
 ▾
- Body aches
 ▾
- Not sleeping well
 ▾
- Whining or crankiness
 ▾
- add item
 ▾

ROS - Eyes

Make All: Rpt Den N/A

Rpt Den N/A

- Red eyes or eye drainage
 ▾
- add item
 ▾

ROS - ENT

Make All: Rpt Den N/A

Rpt Den N/A

- Runny nose and or nasal congestion
 ▾
- Sore throat



notes

Postnasal drip

notes

Ear pain

notes

Pressure or fullness in ears/sinuses

notes

add item

notes

ROS - Respiratory

Make All:

Rpt Den N/A

Cough - Daytime

notes

Cough - Nighttime disturbing sleep

notes

Wheezing or difficulty breathing

notes

add item

notes

ROS - Gastrointestinal

Make All:

Rpt Den N/A

Nausea

notes

Vomiting

notes

Decreased appetite

notes



Diarrhea

notes

add item

notes

ROS - Integumentary

Make All:

Rpt Den N/A

Rashes or dry skin

notes

add item

notes

Immunizations

Vaccines

There are no immunizations recorded for this patient

Ordered

Diseases

There are no vaccine-preventable diseases for this patient

Forecasting Results Updated: NA Show Informational Warnings(0)

Forecast results are not intended to replace clinical decision making

▼ Vaccines For Children

Insurance and Race as of 01/13/25

Eligibility Status:

Immunization Orders

Immunization Consent

MD/NP Counseling for vaccines done - reviewed diseases protected by vaccines, including each component; risks and benefits; how to deal with potential side effects. VIS given.

notes



add item

notes

Physical Exam

Make All: **ABN** **NL** **N/E**

ABN NL N/E

Constitutional (3 or more Vital Signs; appearance)

notes

Eyes (inspection of conj,lids; exam of pupils, irises; ophthalm. exam)

notes

Ears, Nose, Mouth, and Throat (ext insp ears, nose; otoscopic exam; assess hearing; insp of nasal mucosa; insp lips,teeth,gums, TMJ; exam of oropharynx)

notes

Neck (exam of neck for masses, symmetry; exam of thyroid)

notes

Respiratory (resp effort; percussion; palpation; auscultation)

notes

Cardiovascular (palpation; auscultation; exam of carotid; abdom aorta; femoral pulses; pedal pulses)

notes

Abdomen (masses or tenderness; liver and spleen; hernia; anus, rectum, perineum; occult blood)

notes

Skin (insp of skin & subc tissues; palpation of skin and subc tissues)

notes

ABN NL N/E

add item

notes

Lab

Print Labels

Generate Requisition

Order select a lab

Medical Procedure

Order Cerumen Removal w/ Instrument

Order Cerumen Removal w/ Irrigation



Order Removal of Foreign Body, Ear

Order select a medical procedure

Medical Test

Order select a medical test

Radiology

Generate Requisition

Order select a radiology

Assessment

Select All

- Acute suppurative otitis media without rupture, left
notes
- Acute suppurative otitis media without rupture, right
notes
- Acute suppurative otitis media without rupture, bilateral
notes
- add item
notes

Assessment Notes

Diagnoses

- Acute suppurative otitis media
Refine the diagnosis of Acute suppurative otitis media
 Include on Patient Reports
notes
 Add to Problem List Onset: mm/dd/yy Problem Note: problem note
- Acute non-suppurative serous otitis media
Refine the diagnosis of Acute non-suppurative serous otitis media
 Include on Patient Reports
notes
 Add to Problem List Onset: mm/dd/yy Problem Note: problem note



Otitis externa
 Refine the diagnosis of Otitis externa
 Include on Patient Reports
 notes
 Add to Problem List Onset: Problem Note:

Impacted cerumen
 Refine the diagnosis of Impacted cerumen
 Include on Patient Reports
 notes
 Add to Problem List Onset: Problem Note:

Hearing problem
 Refine the diagnosis of Hearing problem
 Include on Patient Reports
 notes
 Add to Problem List Onset: Problem Note:

Foreign body in ear
 Refine the diagnosis of Foreign body in ear
 Include on Patient Reports
 notes
 Add to Problem List Onset: Problem Note:

Perforation of tympanic membrane
 Refine the diagnosis of Perforation of tympanic membrane
 Include on Patient Reports
 notes
 Add to Problem List Onset: Problem Note:

Otalgia
 Refine the diagnosis of Otalgia
 Include on Patient Reports
 notes
 Add to Problem List Onset: Problem Note:

select diagnosis
 notes

Plan


Select All

-
- Medication as e-prescribed

-
- Symptomatic care with ibuprofen or acetaminophen as needed for fever or pain.

-
- Call if no improvement in 2-3 days, new symptoms arise or other concern.

-
- add item

Patient Instructions - Sick
Select All

-
- Ear infection - Take all antibiotics as prescribed. Use acetaminophen or ibuprofen as needed for fever or discomfort. Call if no improvement in 2-3 days, worsening pain or fever, poor fluid intake or other concern.

-
- Eustachian tube dysfunction-Your child was seen today for nasal congestion and ear pain, likely due to eustachian tube dysfunction. Eustachian tubes are small tubes that run between your middle ears and the upper throat. They are responsible for equalizing ear pressure and draining fluid from the middle ear, the part of the ear behind the eardrum. Blocked eustachian tubes can cause pain, hearing difficulties, and a feeling of fullness in the ears. Recommend sinus rinses and pseudoephedrine as discussed for congestion. Please call the clinic if the your child develops fever, ear pain worsens or you have other questions or concerns.

-
- Otorrhea from ear tube - Your child was seen today for otorrhea or drainage from their ear tubes, which may be caused by an infection. You should start the antibiotic ear drops your doctor prescribed. Instill 4-6 drops into your child's ear twice daily for one week. After instilling the drops, pump the tragus, or flap covering the opening of the ear, 4 or 5 times to help the medicine get into the middle ear. Keep your child lying down on their side for a few minutes to allow the drops to penetrate the ear tube. Call the office if the drainage continues for more than one week, your child develops fever, ear pain or other concern.

-
- Swimmer's ear - Complete all ear drops as prescribed. Use acetaminophen or ibuprofen as needed for pain. No swimming while on drops. To prevent swimmer's ear in the future, start Swim Ear drops after swimming. Call if no improvement in 2-3 days or other concern.

-
- Fluid in middle ear - Your child was found to have fluid in the middle ear, but no infection. You may use acetaminophen or ibuprofen as needed for pain. Call if no improvement in 2-3 days, worsening pain, fever or other concern.

-
- add item



notes ▼

Followup

Order select a followup ▼

Referral

Order select a referral ▼

Number and Complexity of Problems Addressed

Select All

- LEVEL 2: 1 self - limited or minor problem

notes ▼

- LEVEL 3: 2 or more self - limited or minor problems; OR 1 stable chronic illness; OR 1 acute uncomplicated illness or injury OR 1 stable acute illness; OR 1 acute uncomplicated illness or injury requiring hospital inpatient or observation level of care

notes ▼

- LEVEL 4: 1 or more chronic illnesses with exacerbation, proffession, or side effects of treatment; OR 2 or more stable chronic illnesses; OR 1 undiagnosed new problem with uncertain diagnosis; OR 1 acute illness with systemic symptoms; OR 1 acute complicated injury

notes ▼

- LEVEL 5: 1 or more chronic illnesses with severe exacerbation, progression, or side effects of treatment; OR 1 acute or chronic illness or injury that poses a threat or life or bodily function

notes ▼

- add item ▼

notes ▼

Amount and/or Complexity of Data

Select All

- LEVEL 2: Minimal or None

notes ▼

- LEVEL 3: ONE CATEGORY REQUIRED: CATEGORY 1: (2/3) 1. Review of prior external notes from each unique source 2. Ordering of each unique test or 3. Review of the results of each unique test OR CATEGORY 2: assessment requiring an independent historian

notes ▼

- LEVEL 4: ONE CATEGORY REQUIRED: CATEGORY 1: (3/4) 1. Review of prior external notes from each unique source 2. Ordering each unique test 3. Review of the results of each unique test 4. Assessment requiring an independent historian OR CATEGORY 2: independent interpretation of test performed by another MD/QHCP/ appropriate source (not separately reported) OR CATEGORY 3: Discussion of management or test interpretation with external MD/QHCP/appropriate source (not separately reported)



notes

- LEVEL 5: TWO CATEGORIES REQUIRED: CATEGORY 1: (3/4) 1. Review of prior external notes from each unique source 2. Ordering of each unique test or 3. Review of the results of each unique test 4. Assessment requiring an independent historian OR CATEGORY 2: Independent interpretation of test performed by another MDQHCP (not separately reported) OR, CATEGORY 3: Discussion of management or test interpretation with external MD/QHCP/ appropriate source (no separately reported)

notes

- add item

notes

Risk of morbidity from additional diagnostic testing/treatment

Select All

- LEVEL 2: Minimal Risk

notes

- LEVEL 3: Low Risk

notes

- LEVEL 4: Moderate risk-prescription drug management

notes

- LEVEL 4: Moderate risk-dx or treatment significantly limited by SDoH

notes

- LEVEL 4: Moderate risk-decision re: minor surgery w/identified pt or procedure risk factors

notes

- LEVEL 4: Moderate risk-decision re: elective major surgery w/o identified pt or procedure risk factors

notes

- LEVEL 5: High risk - drug therapy requiring intensive monitoring for toxicity

notes

- LEVEL 5: High risk - decision re: hospitalization OR ESCALATION OF HOSPITAL LEVEL CARE

notes

- LEVEL 5: High risk - decision re: emergency major surgery

notes

- LEVEL 5: High risk - decision re: elective major surgery with identified pt. or procedure risk factors

notes

- add item



notes

Today's Total Time

Select All

Pre - visit: reviewing notes, results, correspondence, reports, past records (note sources, dates)

notes

Visit: history from pts and others

notes

Visit: exam; discussion; counseling; education; planning

notes

Visit: ordering; referrals; documentation

notes

Visit: prescriptions; PA

notes

Post - visit: chart documentation

notes

Post - visit: care coordination

notes

Post - visit: independent interpretation of tests (not separately billed)

notes

Post - visit: reviewing and communication results

notes

Total time

notes

add item

notes

Visit Documents

Cosign Note

Select All

Cosign Attestation

notes

 add item notes

Navigational Anchors in TOPEKAKF Ear Pain

1. Intake
2. Kid's First History
3. History of Present Illness
4. Growth Charts
5. Immunizations
6. Physical Exam
7. Lab
8. Assessment
9. Assessment Notes
10. Diagnoses
11. Plan
12. Referral
13. Number and Complexity of Problems Addressed
14. Amount and/or Complexity of Data
15. Risk of morbidity from additional diagnostic testing/treatment
16. Today's Total Time
17. Visit Documents
18. Prescriptions